





Agricultural Bearing


BEARINGS FOR FARM MACHINERY




TYPE1



TYPE2




TYPE3



TYPE4


轴承型号 Bearing No.	型式 Type	孔尺寸 Hex Shaft size	外形尺寸 (mm) Boundary dimensions				
			B	A	D	Se	Bi
202KRB3	1	9/16"	16.46	14.3	35	11	13
204KPP2	3	11/16"	20.24	17.65	47	14	20.96
204KRB2	1	11/16"	20.24	17.65	47	14	20.96
204KRB2	2	11/16"	20.24	17.65	47	14	20.96
204KPPB2	4	11/16"	20.24	17.65	47	14	20.96
205KPP2	3	7/8"	25.7	22.25	52	15	25.4
205KPPB2	4	7/8"	25.7	22.25	52	15	25.4
205KRB2	1	7/8"	25.7	22.25	52	15	25.4
205KRB2	2	7/8"	25.7	22.25	52	15	25.4
206KRB6	1	1"	28.26	25.43	62	16	24
206KRB6	2	1"	28.26	25.43	62	16	24
G207KPPB2	4	1 1/8"	32.97	28.6	72	19	37.69
207KRB8	2	1 1/8"	32.97	28.6	72	17	37.69
207KRB12	2	1 1/8"	32.97	28.6	72	17	25
207KPPB3	4	1 1/4"	36.85	31.78	72	17	37.7
207KPP3	3	1 1/4"	36.85	31.78	72	17	25
GW208PPB22	4	1 1/4"	36.83	31.88	80	21	36.52
W208PPB21	3	1 1/4"	36.83	31.88	80	21	36.52
W208KRB6	2	1 3/8"	40.3	34.95	80	21	36.52
W208PPB16	4	1 1/4"	36.85	31.78	80	18	36.52
G209KPPB2	4	1 1/2"	43.94	38.13	85	19	30
209KRB2	2	1 1/2"	43.94	38.13	85	19	30
W210PPB7	4	1 5/8"	47.65	47.65	90	30.18	30.18
GC211-32-NLC	3	1 3/4"	51.31	44.48	100	25	57.15

BEARINGS FOR FARM MACHINERY



轴承型号 Bearing No.	型式 Type	外形尺寸(mm) Boundary dimensions			
		d	D	B _e	B _i
W208PPB2	2	38.113	80	18	42.875
W208PPB7	2	30.175	80	18	30.18
W208PP10	1	38.113	80	21	42.875
W208PPB10	2	38.113	80	21	42.875
W208PPB23	2	38.113	80	30.175	42.875
W209PPB2	3	45	85	30.175	30.175
W209PPB4	3	39	85	30.175	30.175
W210PP2	4	49.225	90	30.175	30.175
W210PPB2	3	49.225	90	30.175	30.175
W210PPB5	3	45.339	90	30.175	30.175
W210PP8	4	38.862	90	30.175	30.175
W210PPB9	2	49.4	90	23	36.53
W211PP2	4	55.575	100	33.325	33.325
W211PPB2	3	55.575	100	33.325	33.325
W211PPB4	6	55.575	100	33.325	55.5
W214PP2	4	70	125	39.69	39.69
W214PPB2	3	70	125	39.69	39.69
W214PPB3	3	70.258	125	28	44.45
GW208PPB2	3	45	85	30.175	30.175
GW208PPB4	3	39	85	30.175	30.175
GW208PPB11	1	45.237	85	22	36.52
GW210PPB2	3	49.225	90	30.175	30.175
GW210PPB5	3	45.339	90	30.175	30.175
GW210PP9	5	49.403	90	23	36.52
GW211PP2	4	55.575	100	33.325	33.325
GW211PPB2	3	55.575	100	33.325	33.325
GW211PPB8	1	55.575	100	25	33.325
GW211PPB9	1	55.753	100	25	39.69
GW211PPB10	3	49.225	100	33.325	33.325
GW211PPB13	1	45.339	100	25	33.325
GW211PPB14	1	51.181	100	25	33.325
GW211PP25	5	45.212	100	33.325	44.45
GW214PP2	4	70	125	39.69	39.69
GW214PPB2	3	70	125	39.69	39.69
GW214PPB3	3	49.213	125	39.69	39.69
GW214PPB5	2	70	125	39.69	61.925
GW214PPB6	1	68.278	125	28	68.26
GW215PPB11	3	70	160	68.26	68.26


BEARINGS FOR FARM MACHINERY




TYPE U



TYPE J



TYPE E3



TYPE E4




TYPE E5




轴承型号 Bearing No.	型式 Type	外形尺寸(mm) Boundary dimensions				
		d	D	C	B	f min
203KR2	4	15.883	40	12	14	0.6
203KRR2	1	16.256	40	12	18.288	0.6
203KRR5	1	13.061	40	12	18.288	0.6
203KRR6	1	16.256	47	12	18.288	0.6
203KRR7	1	17	40	12	16.612	0.6
204KR2	4	19.063	45.225	15.494	15.494	1
204KRR3	1	20	47	14	17.755	1
204KRD4	2	15.875	47	14	17.5	1
204KRR14	1	16	47	15	18.288	1
205KR3	5	19.05	52	17.76	16.26	1
205KR4	3	25.413	52	15	25.4	1
206KR7	3	30	62	16	24	1
206KRR8	1	30	62	16	24	1
207KRR	1	35	72	17	25	1.1
208KRR2	1	40	80	21	27	1.1

BEARINGS FOR FARM MACHINERY



轴承型号 Bearing No.	外形尺寸(mm) Boundary dimensions			
	d	D	C	B
RX84	17.64	53.97	15.87	20.19
202NPP9	12.827	38.1	11	11
202NRE	15	35	11	22.352
203JD	17	40	12	14
203KHH3	15.951	50.8	15	15
203NPP9	15.875	40	12.7	12.7
Z9504RST	19.05	45.225	15.494	15.494
204RR8	16.027	45.225	15.494	15.494
204RY2	16.027	45.225	15.494	18.669
205E-2RST	19.202	52	15	21.107
205KP6	19.08	52	17.78	23.393
205KRR6	13.081	52	15	34.925
205KRR7	13	52	15	38.1
205PPB7	23.813	52	15	35
205PP8	12.964	52	15	34.925
205PP9	19.202	52	15	34.925
205PP10	16	52	15	34.925
205PP12	16.129	52	15	38.1
206KRR8	19.25	62	16	24
206PD2	31.75	65.088	17	18.524
207KYY	35	72	17	25
FHR208-25CD	39.688	80	18	30.2
W213-8445	55.575	120	28.905	55.55
88120-C4	20	47	14	20.8
88128R	38.892	80	21	27.5
208GGH	19.2	62	16	24
208KRD4	25	62	18	22.225
209GP	16	53.09	18.2	19.5
209DD5 3/4"	19.05	53.09	18.2	19.5
209RVA	19.05	52	15	21
Z9504AB	19.08	45.225	15.494	15.494

BEARINGS FOR FARM MACHINERY



轴承型号 Bearing No.	型式 Type	轴尺寸 Shaft size	外形尺寸 (mm) Boundary dimensions					
			d	A	R	D	B _W	B ₁
GW208PPB5	1	28.575	31.394	29.872	2.54	80	21	36.52
GW208PPB6	1	25.4	27.788	26.162	2.54	80	21	36.52
GW208PPB8	2	28.575	31.394	29.872	2.54	80	30.175	36.52
GW208PP17	4	28.575	31.394	29.872	2.54	85.75	30.175	36.52
GW208PPB17	2	28.575	31.394	29.872	2.54	85.75	30.175	36.52
GW208PPB5	2	31.75	34.798	32.776	2.54	85	30.175	36.52
GW208PPB8	1	31.75	34.798	32.776	2.54	85	22	36.52
GW210PP4	5	28.575	31.394	29.872	2.54	90	30.175	30.175
GW210PPB4	3	28.575	31.394	29.872	2.54	90	30.175	30.175
GW211PP3	5	38.1	41.199	38.89	2.54	100	33.325	33.325
GW211PPB3	3	38.1	41.199	38.89	2.54	100	33.325	33.325
GW211PP5	4	38.1	41.199	38.89	2.54	101.6	36.52	44.45
GW211PP17	4	38.1	41.199	38.89	2.54	100	33.325	44.45
GW211PPB17	1	38.1	41.199	38.89	2.54	100	33.325	44.45
GW214PPB4	3	50.8	54.889	52.2	2.54	125	39.675	39.675
GW218PP2	4	57.15	68.2	58.8	2.54	140	30	63.5
W208PP5	4	28.575	31.394	29.872	2.54	80	18	36.52
W208PPB5	1	28.575	31.394	29.872	2.54	80	18	36.52
W208PP6	4	25.4	27.788	26.162	2.54	80	18	36.52
W208PPB6	1	25.4	27.788	26.162	2.54	80	18	36.52
W208PP8	4	28.575	31.394	29.872	2.54	80	30.175	36.52
W208PP9	2	28.575	31.394	29.872	2.54	80	30.175	36.52
W208PPB9	2	25.4	27.788	26.162	2.54	80	30.175	36.52
W208PP11	6	22.225	24.441	23	2.54	85.75	30.175	36.52
W208PP12	6	28.575	31.394	29.872	2.54	85.75	30.175	36.52
W208PP13	1	22.225	24.441	23	2.54	80	18	36.52
W208PPB5	2	31.75	34.798	32.766	2.54	85	30.175	36.52
W208PPB7	6	31.75	34.798	32.766	2.54	85.75	30.175	36.52
W210PP4	5	28.575	31.394	29.872	2.54	90	30.175	30.175
W210PPB4	3	28.575	31.394	29.872	2.54	90	30.175	30.175
W210PPB6	2	28.575	31.394	29.872	2.54	90	30.175	36.52
W211PP3	5	38.1	41.199	38.89	2.54	100	30.324	33.324
W211PPB3	3	38.1	41.199	38.89	2.54	100	30.324	33.324
W211PP5	4	38.1	41.199	38.89	2.54	101.6	36.52	44.45
W211PPB5	6	38.1	41.199	38.89	2.54	104.78	36.52	44.45


Agricultural Bearings (Additional)



Bearing Number	Bearing Number	Bearing Number	Bearing Number	Bearing Number	Bearing Number
202KRR7	204KRR2	205KRR2	206KRR2	207KRR	209KRR3
202NPP9	204KRRB2	205KRRAH03	206KRRB2	207KRR14	
202RRE	204KRD4	205KRR6	206GGB	207KYY	
	204KRR14	205KRR7	206GGH		210KRR
	204RR8	205KP6	206KRR8		
W203PP	Z9504RST	205KP8	206KRRB	208KRR2	
203KRR	204RY2	205KR3	206KRD4	208KRR4	212KRR
BB203KRR2	203PY3	205KRP2	206KP2	208KP2	
203KRR2	Z9504AB	205KYY3	206KPP16	208KR4	
203KRR2A	Z9504B	205PP8	206KPR4	W208PP	
203KRR5	Z9504C	205PP9	6206-TNE-18	W208PPR	
203KRR6	204BBAR	205PPB7		AA28184	
203KRR7	204FREN	G205PPB7			
203JD	204KPP2	205RVA			
203KRR3		205GP			
203NPP9		205DDS 3/4			
5203KYY2		205RRAN			

Bearing Number	Bearing Number	Bearing Number	Bearing Number	Bearing Number	Bearing Number
202KRR3	205KRR2	206KRR6	207KRRB9	W208KRR8	209KRRB2
	205KRRB2	206KRRB6	207KRRB12	W208KRRB6	G209KPPB2
	205KPP2	206KPP3	207KRR17	W208PPB16	
204KRR2	205KPPB2	206KPPB3	207KRRB17	W208PP21	
204KRRB2	205PP13	G206KRRB6	207KPP3	GW208RRB5	W210PPB7
204KPP2	205PPB13	G206KPP4	207KPPB3	GW208PPB22	210PP20
204KPPB2	B52-7/8H	G206KPPB4	G207KPPB2	6208-2RS HEX	210PPB20
JD10008	6006L-2ZV	SA206-1	207KRR28		G210KPPB2

Bearing Number	Bearing Number	Bearing Number	Bearing Number	Bearing Number	Bearing Number
W208PP5	GW208PPB6	W209PPB2	W210PP2	W211PP2	W214PP2
W208PP6	GW208PPB8	W209PPB4	W210PP8	W211PP3	W214PPB2
W208PP7	GW208PPB12	W209PPB5	W210PP4	W211PP5	W214PPB9
W208PP8	GW208PP17	GW209PPB2	5AC10 1 15/16	W211PP30	GW214PP2
W208PP10	GW208PPB17	GW209PPB4	W210PPB2	W211PP34	GW214PPB2
TCS25-24		GW209PPB5	W210PPB4	W211PPB2	GW214PPB3
W208PPB2		GW209PPB8	W210PPB5	W211PPB3	GW214PPB4
W208PPB4		GW209PPB11	W210PPB6	W211PPB6	GW214PPB5
W208PPB5			GW210PP3	GW211PP2	GW214PPB6
W208PPB6			GW210PP4	GW211PP3	3AC14-1 15/16
W208PPB7			GW210PPB2	GW211PP17	
W208PPB8			GW210PPB4	GW211PPB2	
W208PPB9			GW210PPB5	GW211PPB3	GW216PP2
W208PPB10				GW211PPB8	GW216PP5
W208PPB11				GW211PPB9	GW216PPB2
W208PPB12				GW211PPB10	GW216PPB3
W208PPB13				GW211PPB13	
W208PPB23				GW211PPB14	
GW208PPB5				GW211PP37	



Bearing Number	Shaft Size A	Housing Width B	Inner Ring Width C	Square D	Bolt Circle Diameter E	Bolt Hole Diameter F	Bolt Hole Width G	Bolt Hole Length H
Inch/mm								
FD209RJ	1 1/4 RD	1.6400	1.6870	5.0000	5.0000	.531	—	—
FD209RJA	1 1/4 RD	1.6400	1.6870	5.0000	5.0000	.531	—	—
FD209RE	1 1/4 RD	1.6400	1.6870	5.0000	5.0000	—	.531	.687
FD209RK	1 1/4 SQ	1.6400	1.6870	5.0000	5.0000	—	.531	.687
FD209RM	1 1/4 SQ	1.6400	1.6870	5.0000	5.0000	—	.531	.687
FD210R	1 1/4 SQ	1.7500	1.7500	5.0000	5.0000	.531	—	—
FD211RBA	2 1/4 RD	1.7990	2.1870	5.5000	5.5000	.531	—	—
FD211REA	1 1/4 RD	1.7990	2.1870	5.5000	5.5000	.531	—	—
FD211RJA	1 1/4 RDC	1.7990	2.1250	5.5000	5.5000	.531	—	—
FD211RKA	1 1/4 H	1.7990	2.1880	5.5000	5.5000	.531	—	—
FD211RKB	1 1/4 H	1.7990	2.1880	5.5000	5.5000	.531	—	—
FD211RM	1 1/4 SQ	1.7990	2.0000	5.5000	5.5000	—	.531	.687
FD211RP	40 SQ	1.7990	2.0000	5.5000	5.5000	.531	—	—


RD ROUND

SQ SQUARE

RDC ROUND WITH CHAMFER

H HEX

1. NOT NECESSARILY IN STOCK / PLEASE CHECK FOR AVAILABILITY



Size	Bore d	Inner Ring Width W ₂	Housing Width C	Housing O.D. D	Housing Relube Hole Radius E	Relube Hole Center Distance F	Housing Relube Hole Width G	Housing Relube Hole Diameter H	Bearing Insert
Inch									
DS209TTR6P	1.5000	1.6875	1.5650	4.0000	2.1520	.7800	.7500	.5000	DS209TTR6P
DS211TTRQ3	1.7500	2.1250	1.7920	4.4380	2.3750	.8940	.7500	.5000	DS211TTRQ3
DS211TTRQ5	1.7800	2.1250	1.7690	4.4380	2.3750	.8800	.7500	.5000	DS211TTRQ5

